

INSTRUCTION

Toledo Flat
901453.002.76



RZB
LIGHTING



≈ 220 - 240 V 0/50/60 Hz IP 40 IK06



4 x 1,5 mm²



1,50 mm²



[mm]



[mm]



LED



1 x 14,1 W

D 255, H 3

DA 234, HE
31-56, S 1-20



1650



17



A+



A+



1 kg

CCT [K]

3000

CRI

80

RG

RG 0




20 A / 50 μs



50



80



INSTRUCTION
WARTUNGSPLAN/
MAINTENANCE
SCHEDULE

DIN EN 61340-5-1




EN 12464
EN 13201



EN 12464
EN 13201











EN 12464



2020-03-02


www.rzb.de

1





9





Bei Fragen zu unseren Symbolen, besuchen sie folgende Webseite:

If you have any questions about our signs, visit the following website:

www.rzb.de/fileadmin/assets/downloads/PDF/RZB_Symbolklaerung.pdf






	982074.002		D 257, H 60	1,2 kg
	982321.002	Stoffschirm / fabric umbrella	D 260, H 60	190 g







RZB - Rudolf Zimmermann, Bamberg GmbH

Rheinstraße 16
96052 Bamberg

Telefon: 0951/7909-0
Telefax: 0951/7909-198

E-mail: info@rzb-leuchten.de