

INSTRUCTION

Flatliner Slim
312281.002



RZB
LIGHTING


~ 220 - 240 V 50/60 Hz IP 20 IK00



3 x 1,5 mm²



2,50 mm²



312281.002



D 317, H 34



LP



0,99 kg



LED



1 x 21 W



21 W



1600 lm

CCT

3000 K

CRI

83

EEK

A+

EEK

A+

RG

RG 1



0,22 A / 10 µs



77




124



77



124



INSTRUCTION
WARTUNGSPLAN/
MAINTENANCE
SCHEDULE

DIN EN 61340-5-1



EN 12464
EN 13201



EN 12464
EN 13201



<100%














100%

EN 12464



H₂O








Bei Fragen zu unseren Symbolen, besuchen sie folgende Webseite:
If you have any questions about our signs, visit the following website:

www.rzb.de/fileadmin/assets/downloads/PDF/RZB_Symbolklaerung.pdf






	W06630 L 150, B 65, H 40, 262 g
--	---



	982556.002 D 322, H 60, 295 g
--	---





RZB - Rudolf Zimmermann, Bamberg GmbH

Rheinstraße 16
96052 Bamberg

Telefon: 0951/7909-0
Telefax: 0951/7909-198

E-mail: info@rzb-leuchten.de