

# INSTRUCTION

Andho  
931197.0031.1



**RZB**  
LIGHTING

~ 220 - 240 V 50/60 Hz IP 65 IK06




3 x 2,5 mm<sup>2</sup>



2,50 mm<sup>2</sup>



Umgebungstemperatur /  
temperature ambiante  
=> -20 °C ... + 30 °C



D 154, H 157



LED



2,6 kg

$\Phi$  [lm]

4150

P [W]

31

P

1 x 40 W

CCT [K]

4000

CRI

80

RG

RG 1

EEK

A++

EEK

A++



18 A / 250 µs



21



34




35



57

P<sub>f</sub>

0,9



INSTRUCTION  
WARTUNGSPLAN/  
MAINTENANCE  
SCHEDULE

DIN EN 61340-5-1




EN 12464  
EN 13201



EN 12464  
EN 13201












INSTRUCTION  
WARTUNGSPLAN/  
MAINTENANCE  
SCHEDULE



100%


EN 12464







9






Bei Fragen zu unseren Symbolen,  
besuchen Sie folgende Webseite:

If you have any questions about our  
signs, visit the following website:




[www.rzb.de/fileadmin/assets/downloads/PDF/RZB\\_Symbolklaerung.pdf](http://www.rzb.de/fileadmin/assets/downloads/PDF/RZB_Symbolklaerung.pdf)



|                                                                                   |             |                                         |                         |         |
|-----------------------------------------------------------------------------------|-------------|-----------------------------------------|-------------------------|---------|
|  | 982160.006  | Farbfilter blau<br>Color filter blue    | D 160, H 58             | 400 g   |
|                                                                                   | 982160.007  | Farbfilter gelb<br>Colour filter yellow | D 160, H 58             | 400 g   |
|                                                                                   | 982160.0077 | Farbfilter grün<br>Colour filter green  | D 160, H 58             | 400 g   |
|                                                                                   | 982160.008  | Farbfilter rot<br>Colour filter red     | D 160, H 58             | 400 g   |
|                                                                                   | 982716.002  | Pendelset<br>Pendant set                | D 72, H 175, LP<br>3000 | 0,8 kg  |
|                                                                                   | 982720.002  | Pendelset<br>Pendant set                | D 72, H 175, LP<br>5000 | 1 kg    |
|                                                                                   | 982716.0031 | Pendelset<br>Pendant set                | D 72, H 175, LP<br>3000 | 0,95 kg |
|                                                                                   | 982720.0031 | Pendelset<br>Pendant set                | D 72, H 175, LP<br>5000 | 1,25 kg |







RZB - Rudolf Zimmermann, Bamberg GmbH

Rheinstraße 16  
96052 Bamberg

Telefon: 0951/7909-0  
Telefax: 0951/7909-198

E-mail: [info@rzb-leuchten.de](mailto:info@rzb-leuchten.de)