


INSTRUCTION

Toledo Flat
901496.002.76



RZB
LIGHTING

≈ 220 - 240 V 0/50/60 Hz IP 40 IK06




4 x 1,5 mm²



1,50 mm²



Umgebungstemperatur /
temperature ambiante
=> -20 °C ... + 35 °C



D 192, H 58



LED



1,26 kg

Φ_{lm}

780

P_{lm}

7,7

P_{lm}

1 x 6,2 W

CCT [K]

3000

CRI

80

RG

RG 0

EEK

A+

EEK

A+



20 A / 50 μs




50



80

$\cos \varphi$

0,95




DIN EN 61340-5-1



EN 12464
EN 13201












EN 12464
EN 13201



2021-03-16

www.rzb.de

1





Bei Fragen zu unseren Symbolen,
besuchen Sie folgende Webseite:



If you have any questions about our
signs, visit the following website:

www.rzb.de/fileadmin/assets/downloads/PDF/RZB_Symbolklaerung.pdf




	982387.002 Aufnahmering für Stoffschirm Supporting ring for fabric umbrella D 204, H 10 62 g
--	--









	L1	L2	L3	D1
901495.002.X	60	30	103,9	Ø120
901496.002.X.X	81	40,5	140,3	Ø162
901497.002.X.X	113,5	56,8	196,6	Ø227
901498.002.X.X	137,5	68,8	238,2	Ø275

RZB - Rudolf Zimmermann, Bamberg GmbH

Rheinstraße 16
96052 Bamberg

☎ 0951/7909-0
Fax: 0951/7909-198

E-mail: info@rzb-leuchten.de