

# INSTRUCTION

Andho  
931196.004



**RZB**  
LIGHTING

~ 220 - 240 V 50/60 Hz IP 65 IK06





3 x 2,5 mm²



2,50 mm²



Umgebungstemperatur /  
temperature ambiante  
=> -20 °C ... + 40 °C



D 154, H 157



LED



2,6 kg

$\Phi$  [lm]

2000

P [W]

15

P

1 x 20 W

CCT [K]

3000

CRI

80

RG

RG 1

EEK

A++

EEK

A++



4,5 A / 65 µs



21



34




35



57

P<sub>f</sub>

0,88



INSTRUCTION  
WARTUNGSPLAN/  
MAINTENANCE  
SCHEDULE

DIN EN 61340-5-1




EN 12464  
EN 13201



EN 12464  
EN 13201




INSTRUCTION  
WARTUNGSPLAN/  
MAINTENANCE  
SCHEDULE



100%

EN 12464











H<sub>2</sub>O

2020-10-29


www.rzb.de

1





9






Bei Fragen zu unseren Symbolen,  
besuchen Sie folgende Webseite:

If you have any questions about our  
signs, visit the following website:




[www.rzb.de/fileadmin/assets/downloads/PDF/RZB\\_Symbolklaerung.pdf](http://www.rzb.de/fileadmin/assets/downloads/PDF/RZB_Symbolklaerung.pdf)



|                                                                                   |             |                                         |                         |        |
|-----------------------------------------------------------------------------------|-------------|-----------------------------------------|-------------------------|--------|
|  | 982160.006  | Farbfilter blau<br>Color filter blue    | D 160, H 58             | 400 g  |
|                                                                                   | 982160.007  | Farbfilter gelb<br>Colour filter yellow | D 160, H 58             | 400 g  |
|                                                                                   | 982160.0077 | Farbfilter grün<br>Colour filter green  | D 160, H 58             | 400 g  |
|                                                                                   | 982160.008  | Farbfilter rot<br>Colour filter red     | D 160, H 58             | 400 g  |
|                                                                                   | 982716.002  | Pendelset<br>Pendant set                | D 72, H 175, LP<br>3000 | 0,8 kg |
|                                                                                   | 982720.002  | Pendelset<br>Pendant set                | D 72, H 175, LP<br>5000 | 1 kg   |
|                                                                                   | 982716.004  | Pendelset<br>Pendant set                | D 72, H 175, LP<br>3000 | 0,8 kg |
|                                                                                   | 982720.004  | Pendelset<br>Pendant set                | D 72, H 175, LP<br>5000 | 1 kg   |







RZB - Rudolf Zimmermann, Bamberg GmbH

Rheinstraße 16  
96052 Bamberg

Telefon: 0951/7909-0  
Telefax: 0951/7909-198

E-mail: [info@rzb-leuchten.de](mailto:info@rzb-leuchten.de)