


INSTRUCTION

Flat Slim
312132.002



RZB
LIGHTING



~ 220 - 230 V 50/60 Hz IP 65 IK03



3 x 1,5 mm²



1,50 mm²



D 230, H 63



LED



1,34 kg

Φ [lm]

1000

P [W]

13

P

1 x 13 W

CCT [K]

3000

CRI

83

RG

RG 1

EEK

A+

EEK

A+



0,15 A / 10000 µs

B10 [St.]

114

B16 [St.]

182

C10 [St.]

114

C16 [St.]

182



INSTRUCTION
WARTUNGSPLAN/
MAINTENANCE
SCHEDULE

DIN EN 61340-5-1



EN 12464
EN 13201



EN 12464
EN 13201



INSTRUCTION
WARTUNGSPLAN/
MAINTENANCE
SCHEDULE










EN 12464



2020-08-04


www.rzb.de

1





7.1



falsche LED-Kabel-Position/
wrong position of LED-cable




No!

Dichtung/
seal


heiß/
hot




8




9



10



11





E90-6706.000

D 170, H 22

187 g



05-312132.002


D 230, H 51

0,7 kg









RZB - Rudolf Zimmermann, Bamberg GmbH

Rheinstraße 16
96052 Bamberg

Telefon: 0951/7909-0
Telefax: 0951/7909-198

E-mail: info@rzb-leuchten.de