

INSTRUCTION

Toledo Flat
901488.002.1





RZB
LIGHTING

~ 220 - 240 V 50/60 Hz IP 20, IP 54 IK06



2 x 1,5 mm²

1,50 mm²



[mm]



[mm]



LED



1 x 18,4 W

L 300, B 300, H 3

LA 280, BA 280,
HE 31-56, S 1-20



[lm]

2250



[W]

21



A+



A+



1,26 kg

CCT [K]

4000

CRI

80



7 A / 100 µs



32




51



32



51




INSTRUCTION
WARTUNGSPLAN/
MAINTENANCE
SCHEDULE




DIN EN 61340-5-1




EN 12464
EN 13201



EN 12464
EN 13201










EN 12464



2020-04-08

www.rzb.de

1





Bei Fragen zu unseren Symbolen, besuchen sie folgende Webseite:

If you have any questions about our signs, visit the following website:

www.rzb.de/fileadmin/assets/downloads/PDF/RZB_Symbolklaerung.pdf



IP 20



IP 54

oberhalb der Decke IP 20

above ceiling IP 20

unterhalb der Decke IP 54

below the ceiling IP 54




	982141.002	L 300, B 300, H 55 1,37 kg
	982504.002	L 305, B 305, H 60 180 g









RZB - Rudolf Zimmermann, Bamberg GmbH

Rheinstraße 16
96052 Bamberg

Telefon: 0951/7909-0
Telefax: 0951/7909-198

E-mail: info@rzb-leuchten.de