

INSTRUCTION

Toledo Flat
901486.002.1.76



RZB
LIGHTING



≈ 220 - 240 V 0/50/60 Hz IP 20, IP 54 IK06



4 x 1,5 mm²



1,50 mm²



[mm]



[mm]



LED



1 x 6,5 W

L 172, B 172, H 3

LA 156, BA 156,
HE 31-56, S 1-20



[lm]

800



[W]

8



EEK

A+



EEK

A+



523 g

CCT [K]

4000

CRI

80



20 A / 50 μs




B10
[St.]

50



B16
[St.]

80




INSTRUCTION
WARTUNGSPLAN/
MAINTENANCE
SCHEDULE


DIN EN 61340-5-1




EN 12464
EN 13201



EN 12464
EN 13201










EN 12464



2020-04-08

www.rzb.de

1





Bei Fragen zu unseren Symbolen, besuchen sie folgende Webseite:

If you have any questions about our signs, visit the following website:

www.rzb.de/fileadmin/assets/downloads/PDF/RZB_Symbolklaerung.pdf



IP 20



IP 54

oberhalb der Decke IP 20

above ceiling IP 20

unterhalb der Decke IP 54

below the ceiling IP 54




	982139.002	L 172, B 172, H 55	629 g
	982502.002	L 177, B 177, H 60	100 g









RZB - Rudolf Zimmermann, Bamberg GmbH

Rheinstraße 16
96052 Bamberg

Telefon: 0951/7909-0
Telefax: 0951/7909-198

E-mail: info@rzb-leuchten.de