

INSTRUCTION

Toledo Flatliner
901630.002



RZB
LIGHTING

~ 220 - 240 V 50/60 Hz IP 40 IK06





2 x 1,5 mm²



1,50 mm²



Umgebungstemperatur /
temperature ambiante
=> -20 °C ... + 35 °C



D 202, H 65



LED



1,16 kg

Φ_{lm}

610

P_{lm}

7,7

P_{lm}

1 x 6,2 W

CCT [K]

3000

CRI

80

RG

RG 0

EEK

A+

EEK

A+



7 A / 260 µs



40



64



40



64

cos φ

0,5





DIN EN 61340-5-1



EN 12464
EN 13201



EN 12464
EN 13201




2021-03-18

www.rzb.de



1




1




+




2




3




4




5




6




7



8




9







10





11



12



13





Bei Fragen zu unseren Symbolen,
besuchen Sie folgende Webseite:

If you have any questions about our
signs, visit the following website:



www.rzb.de/fileadmin/assets/downloads/PDF/RZB_Symbolklaerung.pdf




	982305.002	Abdeckung Stoffschirm cover fabric umbrella	D 240, H 5	62 g
	982315.002	Abdeckung Stoffschirm cover fabric umbrella	L 240, B 240, H 5	122 g
	W06630	Farbfächer colour chart	L 150, B 65, H 40	262 g



	982300.002	Stoffschirm fabric umbrella	D 242, H 300	0,37 kg
	982310.002	Stoffschirm fabric umbrella	L 242, B 242, H 300	0,44 kg
	982494.002	Stoffschirm fabric umbrella	D 242, H 120	210 g
	982498.002	Stoffschirm fabric umbrella	L 242, B 242, H 120	230 g







	L1	L2	L3	D1
901628.002.X	60	30	103,9	$\varnothing 120$
901630.002.X.X	81	40,5	140,3	$\varnothing 162$
901632.002.X.X	113,5	56,8	196,6	$\varnothing 227$
901634.002.X.X	137,5	68,8	238,2	$\varnothing 275$

RZB - Rudolf Zimmermann, Bamberg GmbH

Rheinstraße 16
96052 Bamberg

☎ 0951/7909-0
Fax: 0951/7909-198

E-mail: info@rzb-leuchten.de