


# INSTRUCTION

LINEDO

9503S3.003.400.000

**RZB**  
LIGHTING

~ 220 - 240 V 50/60 Hz IP 54



L 330, B 165, H 120




1,16 kg



DIN EN 61340-5-1




EN 12464  
EN 13201



EN 12464  
EN 13201









EN 12464













2020-07-24






www.rzb.de

1






















22



23



24














25







verstellbar / adjustable

max. 2500

max. 2500












Bei Fragen zu unseren Symbolen,  
besuchen Sie folgende Webseite:



If you have any questions about our  
signs, visit the following website:

[www.rzb.de/fileadmin/assets/downloads/PDF/RZB\\_Symbolklaerung.pdf](http://www.rzb.de/fileadmin/assets/downloads/PDF/RZB_Symbolklaerung.pdf)



Informationen zum Sensor /  
Information about the sensor



## EU – DECLARATION OF CONFORMITY

For the products described below:

**LUXOMAT® PD4-BMS-GH-SM**

**Art.Nr.: 93025**

It is hereby declared that these products are in conformity with the applicable protection requirements, set out in the Council Directives on harmonisation of legislation in Member States, concerning

1. electromagnetic compatibility (2014/30/EU)
2. the Low Voltage Directive (2014/35/EU)
3. restriction of the use of certain hazardous substances in electrical and electronic equipment (2011/65/EU).

In regard to point 1, assessment of the products was carried out using the following standards:

**EN 55022 :2010**  
**EN 50491-5-1 :2010**  
**EN 50491-5-2 :2010**  
**EN 50491-5-3 :2010**

In regard to point 2, assessment of the products was carried out using the following standards:

**EN 62386-101 :2014**  
**EN 62386-103 :2014**  
**EN 50491-2 :2010 + A1 :2015**  
**EN 50491-3 :2009**

In regard to point 3, assessment of the products was carried out using the following standards:

**EN 50581:2012**

If the products are altered without our authorisation, this declaration will no longer be valid.

Lindlar, 12/06/2019



Dipl. Ing. Rüdiger Schulte

Head of Development

Geschäftsführer:  
Dipl. Ing. F. Brück

Amtgericht:  
Köln  
HRB 37515

**B.E.G. Brück**  
Electronic GmbH  
Gerbenstr. 33  
D-51789 Lindlar

Tel.: 0 22 66 / 90 12 10  
Fax: 0 22 66 / 90 121-50  
E-Mail: [info@beg.de](mailto:info@beg.de)  
Homepage: [www.beg-luxomat.com](http://www.beg-luxomat.com)

Bankverbindung:  
Volksbank Oberberg  
BAN: DE68 3846 2135 0014 8700 16  
BIC: GENODE33HAN



|  |              |                           |                   |        |
|--|--------------|---------------------------|-------------------|--------|
|  | 982678.003   | Einspeisung / Feed        | L 312, B 58, H 76 | 630 g  |
|  | 982678.003.1 | Einspeisung / Feed        | L 330, B 58, H 76 | 728 g  |
|  | 982698.003   | Einspeisung / Feed        | L 330, B 58, H 76 | 850 g  |
|  | 982698.003.1 | Einspeisung / Feed        | L 312, B 58, H 76 | 850 g  |
|  | 982698.003.2 | Einspeisung / Feed        | L 349, B 58, H 76 | 850 g  |
|  | 982661.000   | Pendelset / Pendant kit   | , LP 1500         | 56 g   |
|  | 982662.000   | Pendelset / Pendant kit   | , LP 1500         | 240 g  |
|  | 982663.000   | Befestigungsset / Fixture | L 33, B 54,       | 63 g   |
|  | 982664.000   | Befestigungsset / Fixture | L 33, B 54,       | 39,1 g |
|  | 982665.000   | Pendelset / Pendant kit   | , LP 1500         | 80 g   |
|  | 982717.000   | Pendelset / Pendant kit   | , LP 5000         | 190 g  |
|  | 982718.000   | Pendelset / Pendant kit   | , LP 5000         | 800 g  |



|                                                                                  |            |                                                    |                  |        |
|----------------------------------------------------------------------------------|------------|----------------------------------------------------|------------------|--------|
|  | 982719.000 | Pendelset / Pendant kit                            | , LP 5000        | 270 g  |
|  | 982580.010 | Deckenmontageset /<br>Ceiling surface mounting kit | L 70, B 28, H 16 | 44 g   |
|  | 982666.000 | Befestigungsset / Fixture                          | L 33, B 54,      | 25 g   |
|  | 982699.003 | Endkappe / End cap                                 | L 16, B 58, H 76 | 21,5 g |
|  | 982700.003 | Endkappe / End cap                                 | L 23, B 58, H 76 | 31 g   |
|  | 982680.000 | Verbinder / Connector                              | L 330, B 48, H 9 | 181 g  |







RZB - Rudolf Zimmermann, Bamberg GmbH

Rheinstraße 16  
96052 Bamberg

Telefon: 0951/7909-0  
Telefax: 0951/7909-198

E-mail: [info@rzb-leuchten.de](mailto:info@rzb-leuchten.de)