

INSTRUCTION

26-2017

RZB
LIGHTING

Ledona Eco

901438.002






IP 65 IK07



220 - 240 V / 50/60 Hz



3 x 1,0 mm²



901438.002

L 170, B 170, H 3

DA 160, HE
90, S 1-20 mm

LED

19,6 W

0,98 kg



EEK_{LED}

EEK

CRI

CCT

1550 lm

A


A+

83

3000K



instruction
Wartungsplan/
maintenance
schedule



Die Leuchte darf nur mit ihren vollständigen Schutzabdeckungen betrieben werden.
The luminaire must be used with its complete protective covers only.

EN 12464




EN 12464




RZB
Rudolf Zimmermann,
Bamberg GmbH
Rheinstraße 16
D-96052 Bamberg
Deutschland
Telefon +49 951/79 09-0
Telefax +49 951/79 09-198
www.rzb.de
info@rzb-leuchten.de




1




2




3




08-8692.009
08-8636.014



4




5





Leuchte ist nicht geeignet zur Abdeckung
mit Isoliermaterial!
Luminaire is not suitable for covering
with insulating material!

optional für Metall-, Holz- oder Gipskarton-Decken
optional for metal, timber or drywall ceilings



Leuchte ohne Anschlußklemme.
Für den Anschluss können Hinweise
von Fachpersonen erforderlich sein!

