

INSTRUCTION

Brick Steps
641304.0031.1

RZB
LIGHTING


~ 220 - 240 V 50/60 Hz IP 66 IK10



3 x 1,5 mm²



2,50 mm²



L 236, B 100, H 5



LA 228, BA 85, HE 70



LED



1 x 4,4 W



80



6



A++



A++



480 g

CCT [K]

4000

CRI

80

RG

RG 1



5 A / 50 μs



31




50



52



85



2,5 mm



INSTRUCTION
WARTUNGSPLAN/
MAINTENANCE
SCHEDULE

DIN EN 61340-5-1




EN 12464
EN 13201



EN 12464
EN 13201



<100%













100%


EN 12464




H₂O




11




12




13




14




15




16



17





Kein Isolierungsmaterial verwenden!
Do not use insulation material!



Bei Fragen zu unseren Symbolen, besuchen sie folgende Webseite:
If you have any questions about our signs, visit the following website:

www.rzb.de/fileadmin/assets/downloads/PDF/RZB_Symbolklaerung.pdf





64253.000

L 235, B 95, H 76, HE
76

436 g




90-2780

L 230, B 98, HE 76

430 g







RZB - Rudolf Zimmermann, Bamberg GmbH

Rheinstraße 16
96052 Bamberg

Telefon: 0951/7909-0
Telefax: 0951/7909-198

E-mail: info@rzb-leuchten.de